

Interior Vinyl Acrylic Flat Finish Architectural Coating - Quality

Description

A quality interior vinyl acrylic flat finish that provides excellent hide, coupled with excellent touch-up characteristics. An economical solution for apartment re-paint applications.

Recommended Uses

Previously painted or properly primed interior drywall, plaster, concrete and masonry.

Colors

Stock Colors: 00 White

Custom Pastel colors to colors

Packaging

Five gallon containers only

Finish

Flat, sheen @ 85° = 0.8 - 1.5%

Surface Preparation

Surfaces must be clean, dry and free from all contaminants that may impair adhesion. Glossy or slick surfaces must be scuff sanded prior to application of paint coatings and may require priming. Smoke and water stains should be sealed with 4200 Terminator II.

Primer

Drywall: 155 Seal Kote
1100 Hi-Build PVA Sealer
Plaster / Concrete / 4600 Uniprime II
Masonry:

Application

Brush, roll or spray. Ambient and surface temperatures must be above 50°F and relative humidity below 80%. Clean tools and equipment with soap and water.

Drying Time

Touch: 1 hour
Recoat: 2 hours

Coverage

Up to 500 square feet per gallon, depending on porosity and texture of the surface.

Thickness

Wet = 3.1 mil Dry = 1.2 mil

Thinning

May be thinned up to 1.5 gallons of water per five (5) gallon container.

Composition

Titanium Dioxide	9.6%
Extenders	38.4%
TOTAL PIGMENT	48.0%
Acrylic Resin	8.8%
Additives	6.8%
Water	36.4%
TOTAL VEHICLE	52.0%

Weights & Measurements +/-3.0%

Solids by Volume:	39.2%
Solids by Weight:	57.1%
VOC:	44 g/l
Weight Per Gal:	12.1 lbs.
Viscosity:	140 KU

Conformance

SCAQMD - complies with Rule 1113, Architectural Coatings.



Products bearing this logo are Non-EG Certified. Ethylene Glycol (EG), is listed as a toxic air contaminant and hazardous pollutant. EG is a solvent used in some water-based paints. Vista Paint has replaced EG with non-toxic alternative solvents. Any Vista Paint product with this logo is formulated without EG (Non-EG).



Vista Paint is the industry leader when it comes to relying on renewable energy. At Vista Paint, our products are manufactured using 100% solar energy.

Last Updated 04.2024

DISCLAIMER: To the best of our knowledge, the technical data contained herein are true and accurate at the date of issuance and offered in good faith. All technical information is subject to change without prior notice. This product is guaranteed to give satisfactory performance if applied and used in accordance with the label instructions. Any liability shall be limited to a refund of the purchase price, or replacement of this product. This warranty does not include labor or cost of labor for the application of any coating. All express and all implied warranties are hereby disclaimed and excluded including all implied warranties of fitness for a particular use and merchantability. Final determination of the suitability of product or intended use is the sole responsibility of the user. Additional information may be obtained from your local sales representative.