

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code Product Class Recommended use Restrictions on use

POLYTEC INT/EXT EGGSHELLS .5730 WATER THINNED PAINT Paint No information available

Manufacturer Vista Paint Corporation 2020 E. Orangethorpe Ave. Fullerton, CA 92831 (714) 680-3800

Emergency Telephone Number(s): (800) 535-5053 (Infotrac)

2.

HAZARD(S) IDENTIFICATION **GHS Pictograms:** Warning **GHS Classifications:** Eye Irritation Category 2A Skin Irritation Category 2 Carcinogenicity Category 2

Hazard Statements:

Signal Word:

H315 – Causes skin irritation H351 – Suspected of causing cancer

H319 – Causes serious eye irritation

Precautionary Statements:

Prevention

P103 - Read label before use.

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash hands thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves / eye protection / face protection.
- **P285** In case of inadequate ventilation wear respiratory protection.

Response

- P301 + P310 If swallowed: Immediately call a poison center or doctor/physician.
- P308 + P313 If exposed or concerned: Get medical advice/attention. P320 + P352 - If on skin: Wash with plenty of water

	 P332 + P313 – If skin irritation occurs: Get medical advice/attention. P362 + P364 – Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lens, if present and easy to do. Continue rinsing. P337 + P313 – If eye irritation persists: Get medical advice/attention Storage P405 – Store locked up.
	<u>Disposal</u> P501 – Dispose of contents/container in accordance with local/state/federal regulations.
HNOC:	Not Applicable
Other information:	No information available

3. COMPOSITION INFORMATION ON COMPONENTS

Hazardous Component	CAS Number	<u>Weight %</u>
Titanium Dioxide	13463-67-7	24.13

4. FIRST AID MEASURES

General Advice:	No hazards which require special first aid measures.
Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation:	Move to fresh air. If symptoms persist, call a physician.
Ingestion:	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
Most Important Symptoms/Effects:	None known.
Notes To Physician:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Protective Equipment And Precautions For Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific Hazards Arising From The Chemical:	Closed containers may rupture if exposed to fire or extreme heat

6. ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE		
Methods For Clean-Up:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Environmental Precautions:	See Section 12 for additional Ecological Information.	
Other Information:	Prevent further leakage or spillage if safe to do so.	
Personal Precautions:	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.	

Handling:	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Storage:	Keep container tightly closed. Keep out of the reach of children. Keep from freezing.
Incompatible Materials:	No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits							.,	
			AGCIH LV/TWA		OSHA Expo VA		EL	Vapor Pressure
REPORTABLE COMPONENTS	CAS NUMBER	%WT	PPM	PPM	MG/M3	PPM	MG/M3	•
Titanium Dioxide	13463-67-7	24.13	10	-	10	-	-	-
Eye/Face Protection:	Safety glas	ses with si	de-shields.					
Skin Protection	Protective	gloves and	imperviou	s clothiı	ng.			
Respiratory Protection	sanding or by NIOSH/	In case of insufficient ventilation wear suitable respiratory equipment. When sanding or abrading the dried paint film, wear a dust / mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive material itself.						
Engineering Measures:	Ensure ade	equate ven	tilation, esp	pecially	in confin	ed areas	5.	
Hygiene Measures:	Avoid conta clothing be				•		wash cor	taminated

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Odor Threshold Liquid Little or no odor No information available

Product Name: POLYTEC INT/EXT EGGSHELLS Product Code: .5730 Vista Paint Corporation

Page 3 of 7

pН Freezing Point (°F) Boiling Point (°F) Flash Point (°F) **Flash Point Method Evaporation Rate** Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Vapor Pressure Vapor Density Density (lbs./gal) Specific Gravity Solubility Water Solubility Partition Coefficient (n-octanol/water) Autoignition Temperature (°F) **Decomposition Temperature (°F)** Viscosity (cps) Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Coating VOC Material VOC**

No information available 32 °F 212 °F Not applicable Not applicable No information available Not applicable Not applicable Not applicable No information available No information available 10.76 1.29 No information available 53.23 39.57 46.77 60.43 45.32 g/l 18.86 g/l

10. STABILITY AND REACTIVITY

Reactivity	Not Applicable
Chemical Stability	Stable under normal conditions.
Possibility Of Hazardous Reactions	None under normal conditions of use.
Conditions To Avoid	Prevent from freezing
Incompatible Materials	No materials to be especially mentioned.
Hazardous Decomposition Products	None under normal use.

11. TOXICOLOGICAL INFORMATION

Principal Routes of Exposure:	Eye contact, skin contact and inhalation.
Acute Toxicity:	No information available
Symptoms	No information available
Eye contact	May cause slight irritation.
Skin contact	Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation.

Vista Paint Corporation

Inhalation	May cause irritation of respiratory tract.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Sensitization:	No information available
Neurological Effects	No information available.
Mutagenic Effects	No information available.
Reproductive Effects	No information available.
Developmental Effects	No information available.
Target Organ Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Other adverse effects	No information available.
Aspiration Hazard	No information available

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

Chemical Name	IARC	NTP	OSHA Carcinogen
Titanium dioxide (If Listed in Section 3.)	2B - Possible Human		
ritanium dioxide (il Listed in Section 5.)	Carcinogen		
Diphenyl Ketone (If Listed in Section 3.)	2B - Possible Human		
Dipriently Retorie (in Listed in Section 3.)	Carcinogen		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer NTP - National Toxicity Program OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects	The environmental imp investigated.	pact of this product has not been fully
Acute Toxicity to Fish (Titanium Dioxide)	LC50: > 1000 mg/L (Fa	athead Minnow - 96 hr.)
Acute Toxicity to Aquatic Invertebrates	No information availab	le
Acute Toxicity to Aquatic Plants	No information availab	le
Product Name: POLYTEC INT/EXT EGGSHELLS	Vista Paint Corporation	Page 5 of 7
Product Code: .5730		

Persistence / Degradability	No information available	
Bioaccumulation / Accumulation	No information available	
Mobility in Environmental Media	No information available	
Ozone	No information available	

13. DISPOSAL CONSIDERATIONS

Waste Disposal MethodDispose of in accordance with federal, state, provincial, and local regulations.
Local requirements may vary, consult your sanitation department or
state-designated environmental protection agency for more disposal options.

	14. TRANSPORT INFORMATION		
DOT	Not regulated		
ICAO / IATA	Not regulated		
IMDG / IMO	Not regulated		

15. REGULATORY INFORMATION

International Inventories

TSCA: United States	Yes - All components are listed or exempt.
DSL: Canada	Yes - All components are listed or exempt.

Federal Regulations

SARA 311/312 hazardous categorization

Please refer to Section 2 of the SDS for the appropriate EPCRA 311/312 hazard categories.

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed in the table below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

<u>Chemical</u>	Name

CAS Number

None

None

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Unless listed below, this product does not contain HAPs at 1% or 0.1% or greater. Refer to Section 3 for HAP weight percentage:

<u>Chemical Name</u> None CAS Number None

Vista Paint Corporation

State Regulations

California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm at levels less than required for reporting (<0.1%) unless listed in Section 3.

	16. OTHER INFORMATION				
<u>HMIS</u>	Health: 1*	Flammability: 0	Reactivity: 0	PPE: X	
<u>NFPA</u> :	Health: 1	Flammability: 0	Instability: 0		
Prepared	Ву	Vista Paint Corporation 2020 East Orangethorpe Avenue Fullerton, CA 92831 (714) 680-3800			
Print Date):	07/05/2023			
Revision	Date:	05/30/2023			
Revision	Summary:	Formulation ch	lange		

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

Form Date: 2020-01-22

END OF SAFETY DATA SHEET